

PRODUCT CATALOGUE



LOOKING INTO THE FUTURE WITH CLARITY



32"

HDR LED TV FRAMELESS

40"

FHD LED TV

43"

FHD LED TV FRAMELESS

50"

FHD LED TV FRAMELESS

55"

UHD LED TV FRAMELESS

55"

UHD LED TV
with Sound Bar

65"

UHD LED TV FRAMELESS

75"

UHD LED TV 120Hz

THREE YEAR
WARRANTY
3

VISUAL PRODUCTS





HDR LED TV FRAMELESS



SPECIFICATIONS

Width: 27.9" (709mm)

Height: 15.7" (399mm)

Area: 438in² (0.283m²)

Add to OD size: Width (cm) x 2.12

Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (1360 x 768)

Inputs & Outputs: Y, Pb, Pr, CVBS, LR, USB1, USB2,
Earphone, RF, PC Audio in, COAX, HDMI/ARC,
HDMI2, VGA

STAND OR WALL MOUNTED





FHD LED TV

THREE YEAR
WARRANTY
3

SPECIFICATIONS

Width: 20.9" (531mm)

Height: 35.8" (910mm)

Area: 748.22in² (0.483m²)


Add to OD size: Width (cm) x 2.12

Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (1920 x 1080)

Inputs & Outputs: HDMI3, RF, Y, Pb, Pr, VGA, VA,
USB1, USB2, Earphone/ RF, PC Audio In, COAX,
HDMI/ARC, HDMI2/ARC

STAND OR WALL MOUNTED





FHD LED TV FRAMELESS



SPECIFICATIONS

Width: 37.5" (953mm)

Height: 21.1" (536mm)

Area: 791in² (0.511m²)

Add to OD size: Width (cm) x 2.12


Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (1920 x 1080)

Inputs & Outputs: Y, Pb, Pr, CVBS, LR, USB1, USB2,
Earphone, RF, PC Audio in, COAX, HDMI/ARC,
HDMI2, VGA

STAND OR WALL MOUNTED





FHD LED TV FRAMELESS



SPECIFICATIONS

Width: 43.6" (1107mm)

Height: 24.5" (622mm)

Area: 1068in² (0.689m²)


Add to OD size: Width (cm) x 2.12

Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (1920 x 1080)

Inputs & Outputs: HDMI3, RF, Y, Pb, Pr, CVBS, LR,
USB1, USB2, Earphone, RF, PC Audio In, COAX,
HDMI/ARC, HDMI2/ARC

STAND OR WALL MOUNTED



55"

UHD LED TV FRAMELESS

THREE YEAR
WARRANTY
3

SPECIFICATIONS

Width: 47.9" (1217mm)

Height: 27.0" (686mm)

Area: 1293in² (0.835m²)



Add to OD size: Width (cm) x 2.12


Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (3840 x 2160)

Inputs & Outputs: COAX, HDMI3/ARC, Earphone TF,
USB1 (3.0), USB2, RJ45, CVBS, L, R, Y, Pb,
Pr, HDMI1, HDMI2, RF

STAND OR WALL MOUNTED





UHD LED TV WITH SOUND BAR

THREE YEAR
WARRANTY
3

SPECIFICATIONS

Width: 47.9" (1217mm)

Height: 27.0" (686mm)

Area: 1293in² (0.835m²)

Add to OD size: Width (cm) x 2.10

Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (3840 x 2160)

Inputs & Outputs: OPTICAL HDM13, Earphone TF,
USB1 (3.0), USB2, RJ45, CVBS, L, R, Y, Pb,
Pr, HDMI1, HDMI2, RF

STAND OR WALL MOUNTED





UHD LED TV FRAMELESS



SPECIFICATIONS

Width: 56.7" (1440mm)

Height: 31.9" (810mm)

Area: 1809in² (1.166m²)

Add to OD size: Width (cm) x 2.12

Add to OD size: Height (cm) x 2.20

Refresh Rate: 60Hz (3840 x 2160)

Inputs & Outputs: HDMI1, HDMI2, HDMI3/ARC,
USB1, USB2, RJ45, COAX, CVBS, LR, Y,
Pb, Pr, RF, Earphone

STAND OR WALL MOUNTED



75"

UHD LED TV 120Hz

THREE YEAR
WARRANTY
3

SPECIFICATIONS

Width: 65.4" (1661mm)

Height: 36.8" (935mm)

Area: 2407in² (1.533m²)

Add to OD size: width (cm) x 2.12


Add to OD size: height (cm) x 2.20

Refresh Rate: 120Hz (3840 x 2160)


Inputs & Outputs: COAX, HDMI3/ARC, Earphone,
USB1(3.0), USB2, RJ45, CVBS, LR, Y, Pb, Pr,
HDMI1, HDMI2, RF

STAND OR WALL MOUNTED






ELSYS SMARTY ANDROID TV DONGLE




OPENVIEW HD DECODER



HOMATICS BOX Q

STB & OTT PRODUCTS





ELSYS SMARTY ANDROID TV DONGLE

ONE YEAR
WARRANTY
1

SPECIFICATIONS

1GB RAM

8GB ROM (Onboard Memory)

Bluetooth v4.2

Automatic/Full screen aspect ratio

1080p HD video resolution at up to 60 Frames Per Second
(60fps)

Maximum 7.5W Energy Consumption

Power Input: 5V/1.5A


Plug & Play

Google and Netflix approved



Proud distributor of the
ELSYS SMARTY Android TV
Dongle.





OPENVIEW HD DECODER

ONE YEAR
WARRANTY
1

SPECIFICATIONS

Memory: 256MB DDR3 128MB NAND Flash

CPU: Hi3716MRBCV431R0D00

Input Connector: IEC 60169 ~ 24 F ~ type Female 1 Port

Dimension (mm): 110(w) x 110(d) x 28.3(h)

Weight: 555g (packed)

Power: Input: 100 ~ 240V ~ 50/60Hz 0.6A

Output: 12V, 1.5A

Consumption: 18W

Operating Temperature: 0 ~ 45C

RF Input: Frequency: 950 ~ 2150 MHz

Impedance: 75ohm

Supported Modes: QPSK (DVB-S, DVB-S2)


8PSK (DVB-S2)

USB, HDMI, TRRS



Proud manufacturer of the
OpenView Decoder.





HOMATIC BOX Q

ONE YEAR
WARRANTY
1

SPECIFICATIONS

RAM: 2GB DDR3

Wi-Fi: 2.4G/5G 2T2R MIMO Wi-Fi

Bluetooth: Bluetooth 4.2

Dolby Digital Plus / Dolby Atmos (MS12)

HDR 10 / 10+

Smart RCU turning on and off your TV

Input Voltage: AC 12V 1A

Consumption: Maximum 12W

Dimension: 110x108x21 mm

Weight: < 1kg packaged

USB port: 1x USB 2.0

1x USB 3.0

1x Micro SD

Google and Netflix approved



ONE YEAR
WARRANTY
1




HOMATICS
WIRELESS GIGABIT ROUTER



HOMATICS
DECO WIFI MESH

WIFI PRODUCTS





HOMATICS WIRELESS GIGABIT ROUTER

ONE YEAR
WARRANTY
1

SPECIFICATIONS

AC1200-AC666R1

2.4G, 300Mbps, 5G, 867Mbps

802.11ac MIMO Wifi

4 x 5dBi High Gain Antennas

Beamforming

1 x GE WAN


3 x FE LAN

IEEE 802.11A Compliant

1200MBps Transmission Rate

Gigabit Dual-band





HOMATICS DECO WIFI MESH

ONE YEAR
WARRANTY
1

SPECIFICATIONS

AC1200

2.4G, 300Mbps, 5G, 867Mbps

802.11ac MIMO Wifi

2 x 5dBi High Gain Antennas

1 x GE WAN


1 x GE LAN


IEEE 802.11A Compliant

1200MBps Transmission Rate

Gigabit Dual-band

Wifi Seamless Roaming






ALARM CLOCK
with Bluetooth Speaker



DVD PLAYER




CD PORTABLE BOOM BOX
with Bluetooth Speaker



2.1 CH MULTIMEDIA SPEAKER



2.1 CH MULTIMEDIA SPEAKER



MICRO DVD HI-FI
with Bluetooth Speaker



2.0 CH SOUND BAR



2.1 CH SOUND BAR
+ Subwoofer

AUDIO PRODUCTS

ONE YEAR
WARRANTY
1





ALARM CLOCK

with Bluetooth Speaker



SPECIFICATIONS

Display: Luminous Display, Bluetooth Phone Calls

Time LED Display, TF Card Reader, FM Radio, AUX Input

Speakers: 52mm (full frequency speaker)

Impedence: 5 Ohms

Bluetooth Distance: 10 meters

Speaker Output power: 5W

Battery: 3,7V 1800mAh (lithium battery)

Charging: 3-5 Hours

Input: 5V ===1000mA





DVD PLAYER

ONE YEAR
WARRANTY
1

SPECIFICATIONS

HDMI

Y, Cb, Cr, Y, Pb, P

2.0 Channel Output

Multiregional DVD Player

DVD, VCD/DVCD/CD/HDCD/CD-RW/DVD-RW

DVD-R, MP3, MPEG4, JPEG compatible PAL/


NTSC compatible

Remote Control

USB Port: Enjoy personal music MP3/WMA

Input: 100 ~ 240V ~ 50/60Hz





CD PORTABLE BOOM BOX

with Bluetooth Speaker

ONE YEAR
WARRANTY
1

SPECIFICATIONS

Compatible with CD-R/CD-RW (Top Loading CD)

FM Radio

Supports USB Disk, MP3, WMA files

Supports Bluetooth

AUX in socket for playback from phone


Tablet or MP3 player

Connect headphones for personal listening enjoyment

Power Out: 2W * 2W RMS

Input: 100 ~ 240V ~ 50/60Hz





2.1 CH MULTIMEDIA SPEAKER

ONE YEAR
WARRANTY
1

SPECIFICATIONS

Output Power: 15W x 2 RMS

Subwoofer: 30W RMS

Speaker Unit: 3" x 2

Subwoofer: 5,25"

Frequency Response: 150Hz ~ 20Khz

Size Subwoofer: 170mm (W) x 320mm (D) x 310mm (H)

Size Satellite: 115mm (W) x 110mm (D) x 200mm (H)

Dimension: 300mm (L) x 242mm (W) x 467mm (H)

Subwoofer: 40Hz ~ 150Hz

P.M.P.O: 3000W


Power Supply: AC220 ~ 250V/50Hz


S/N Subwoofer: ≥ 78 dB

Weight: 6.8kg

Bluetooth/USB/SD Card/AUX

FM Tuner + Remote control





2.1 CH MULTIMEDIA SPEAKER

ONE YEAR
WARRANTY
1

SPECIFICATIONS

Output Power: 5W*2 RMS

Subwoofer: 10W RMS

Speaker Unit: 5.25" + 3" x 2

Subwoofer: 4"

Frequency Response: 220Hz ~ 18KHz

Subwoofer: 150mm (W) x 235mm (D) x 180mm (H)

Satellites: 90mm (W) x 110mm (D) x 144mm (H)

Dimension: 300mm (L) x 220mm (W) x 302mm (H)

Subwoofer: 55Hz ~ 220Hz

P.M.P.O: 1000W


Power Supply: AC220 ~ 250V 50Hz


S/N Subwoofer: ≥65 db

Weight: 4.2kg

AUX/USB/SD/FM/Bluetooth/Display

Remote/Lighting SMPS Solution





MICRO DVD HI-FI

with Bluetooth Speaker

ONE YEAR
WARRANTY
1

SPECIFICATIONS

CD/DVD function with LED display

FM/AUX/USB/Bluetooth

Power: 15W + 15W

Compatible with DVD, DVD +-, VCD, CD/MP3

CD-E, CD-RW, Divx, MPEG4, JPEG

Front USB connection for MP3 playback

Front AUX in connection

Rear headphone connection

Rear quick connection for speakers

Remote control

Input: 100 ~ 240V ~ 50/60Hz



2.0 CH SOUND BAR

ONE YEAR
WARRANTY
1



SPECIFICATIONS

Output RMS: 30W

Driver Unit: 2.25" each

S/N: $\geq 90\text{dB}$

Frequency Response: 60Hz ~ 20KHz


Harmonic Distortion: $\leq 10\%$ (1W/1KHz)

Input Power: 15V/2A

Total Peak Output: 70W

Dimension: 930(L) X 90(W) X 70(H)mm

Packing size: 960 (L) X 96(W) X 120 (H)mm





2.1 CH SOUND BAR AND SUBWOOFER

ONE YEAR
WARRANTY
1

SPECIFICATIONS

Output RMS: 60W(Woofer-30W,Soundbar 15x2)

Driver Unit: Woofer- 5.25", Soundbar-2.25"

Frequency Response: 20Hz ~ 20KHz

Impedance: Woofer-4 Ohms, Soundbar-4 Ohms

S/N: $\geq 90\text{dB}$

Harmonic Distortion: $\leq 10\%$ (1W/1KHz)

Total Peak Output: 140W

Dimension: 930(L) X 90(W) X 70(H)mm

Packing size: 960 (L) X 432(W) X 380 (H)mm



