


Date: 30/Aug/22

Product Name:		RM-40 (Excludes Subwoofer)		Model #		CZ102	
Product Photos				Product Specifications			
				SOUND			
				Sound Type		Stereo	
				Number or Speakers		2 x 15W	
				Speaker Size 1		L900xW93.5xH71mm	
				Speaker Size 2		N/A	
				Speaker Size 3		N/A	
				Speaker Size 4		N/A	
				Dolby		No	
				FEATURES			
Chipset		BP1048B2					
BLE Language/OSD		English					
BLE Version		5.0					
Sleep Timers		NO					
Auto Shut off		NO					
Supports		DC in/AUX 3.5mm /AUX-in /USB/BT5.0/Optical/Coxial /HDMI(ARC)/LED indicator/RC					
USB/TF Card max card Size		32GB					
Supported USB Card Format		mp3/wav					
FM Tunner Frequency		NO					
Upgarde SW via USB		YES					
LCD Display		NO					
Colour Of LCD Display		NO					
Product Specifications				TERMINALS			
Cosmetic				input/output terminal		AUX 3.5mm /AUX-in /USB/BT5.0/Optical/Coxial /HDMI(ARC)/ DC jack	
Color of Front Cabinet		Glossy Black					
Color of Frame		N/A					
Color of Back Cabinet		Glossy Black					
Color of Base Stand		Glossy Black					
LED Indicator color/LED		LED indicator light					
Number of Key		5keys					
VESA Wall Mounting Hole		YES					
Power cable Length		1.2m, 2pin					
Extenal PSU Rating							
Plug Type Standard		Euro Plug Type					
Material For Protection				(Optional, Need to add cost)			
Front Cover		Plastic+Metal					
Frame		N/A					
Back Cover		Plastic					
Stand/Wall Mount		Plastic					
Carton		Gift box					
Package							
Package							
Certification							
Business Terms				Product Info			
FOB Price:				EAN Bar code:			
Port of Export:		Shenzhen		W (mm)		H (mm)	
Country of Origin:		china		D (mm)			
Lead Time:		50DAYS		Size of Unit (without Base):			
Payment Method:		40% Advance Deposit, Balance before loading after inspection by T/T		Size of Unit (with Base):			
Minimum Order Qty:		1K					
Packaging Volume & Weight Data							
		W (mm)		H (mm)		D (mm)	
		Number of Units		Gross Weight (kg)		Nett Weight (kg)	
Individual Gift Box		940		100		120	
Outer Export Carton:				3,2		0,0113	
Approval / Documentation							
Remark:							
1. The Quotation is valid in 7 working days:							

	CZ Electronics									
	Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg. PO Box 11387, Rynfield, 1514. Tel: +27 11 914-5240 Fax: +27 11 914-4536									

PRODUCT SPEC									
								Date:	19/Nov/20

Product Name:				RM-41 (Excludes Subwoofer)				Model #		CZ103	
Product Photos				Product Specifications							
				SOUND							
				Sound Type				Stereo			
				Number of Speakers				2 x 15W+30W			
				Speaker Size 1				Bar: L900xW93.5xH71mm			
				Speaker Size 2				Subwoofer: L300*D300*W170mm			
				Speaker Size 3				N/A			
				Speaker Size 4				N/A			
Dolby				No							

				FEATURES							
				Chipset				BP1048B2			
				BLE Language/OSD				English			
				BLE Version				5.0			
				Sleep Timers				NO			
				Auto Shut off				NO			
				Supports				DC in/AUX 3.5mm /AUX-in /USB/BT5.0/Optical/Coxial /HDMI(ARC)/LED indicator/RC			
				USB/TF Card max card Size				32GB			
				Supported USB Card Format				mp3/wav			
				FM Tunner Frequency				NO			
				Upgarde SW via USB				YES			
				LCD Display				NO			
				Colour Of LCD Display				NO			

Product Specifications				TERMINALS							
Cosmetic				input/output terminal				AUX 3.5mm /AUX-in /USB/BT5.0/Optical/Coxial /HDMI(ARC)/ DC jack			
Color of Front Cabinet		Glossy Black									
Color of Frame		N/A									
Color of Back Cabinet		Glossy Black									
Color of Base Stand		Glossy Black									
LED Indicator color/LED		LED indicator light									
Number of Key		5keys									
VESA Wall Mounting Hole		YES									
Power cable Length		1.2m, 2pin									
Extenal PSU Rating											
Plug Type Standard		Euro Plug Type									
Material For Protection											
Front Cover		Plastic+Metal									
Frame		N/A									
Back Cover		Plastic									
Stand/Wall Mount		Plastic									
Carton		Gift box									
Package											
Package											
Certification											

Business Terms				Product Info							
FOB Price:				EAN Bar code:							
Port of Export:		Shenzhen				W (mm)		H (mm)		D (mm)	
Country of Origin:		china									
Lead Time:		50DAYS									
Payment Method:		40% Advance Deposit, Balance before loading after inspection by T/T									
Minimum Order Qty:		1K									

Packaging Volume & Weight Data										
	W (mm)	H (mm)	D (mm)	Number of Units	Gross Weight (kg)	Nett Weight (kg)	Vol (cbm)	20' qty	40' GP qty	40' HQ qty
Individual Gift Box	960	460	220		7,8		0.124 for 2sets	470	940	1120
Outer Export Carton:										

Approval / Documentation										
Remark:										
1. The Quotation is valid in 7 working days;										
2. The above specification are subject to change without prior notice.										

		CZ Electronics	
		Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg. PO Box 11387, Rynfield, 1514. Tel: +27 11 914-5240 Fax: +27 11 914-4536	

PRODUCT SPEC							
						Date:	21/Jan/19

Product Name:	2.1CH Multimedia speaker	Model #	CZ200
---------------	--------------------------	---------	-------

Product Photos	Product Specifications	
	SOUND	
	Sound Type	2.1 Channel
	Number of Speakers	1x 10W+2x25W(j55W)
	Speaker Size 1	Subwoofer 4"
	Speaker Size 2	Satellite 3"
	Speaker Size 3	N/A
	Speaker Size 4	N/A
	Dolby	No

	FEATURES	
	Chipset	jianrong
	BLE Language/OSD	English
	BLE Version	4
	Sleep Timers	
	Auto Shut off	
	Supports	AUX-IN, USB, SD,FM,REMOTE,BLUETOOTH
	USB/TF Card max card Size	64GB
	Supported USB/TF Card Format	MP3
	FM Tunner Frequency	87.5MHz~108MHz
	Upgarde SW via USB	Yes
	LCD Display	NO
	Colour Of LCD Display	NO

Product Specifications	TERMINALS
------------------------	-----------

Cosmetic	input/output terminal	RCA IN*1
-----------------	-----------------------	----------

Color of Front panel	Glossy Black		
Color of Frame	Glossy Black		
Color of Back Cabinet	Black PVC		
Color of Base Stand	Black PVC		
LED Indicator color/LED			
Number of Key	5keys		
VESA Wall Mounting Hole	NO		
Power cable Length	1.2m, VDE		
Extenal PSU Rating			
Plug Type Standard	Euro Plug Type		

--	--	--	--

Material For Protection	POWER	
Front Cover	Working Power consumption	3.5W
Frame	Stand by Power consumption	3.5W
Back Cover	AC Power Supply	240V,60Hz
Stand/Wall Mount		
Carton		
Package		
Package		
Certification		

--	--	--	--

Basic Equipped Accessories	Remote Control	RC01
	Batteries for RC	NO
	User Manual	Black and white, 105g English
	Other	
	(Optional, Need to add cost)	

Front Cover	Plastic		
Frame	MDF		
Back Cover	MDF		
Stand/Wall Mount	NO		
Carton	Brown Corrugated Paper		
Package	PE bag		
Package	PE bag		
Certification	IEC60065		


--	--	--	--

Business Terms	Product Info				
----------------	--------------	--	--	--	--

FOB Price:	SHENZHEN	W (mm)	H (mm)	D (mm)	
Port of Export:	CHINA	Size of Unit (without Base)	150	200	198
Country of Origin:	50DAYS	Size of Unit (with Base):			
Lead Time:	30% Advance Deposit, Balance before loading after inspection by T/T				
Payment Method:	1K				
Minimum Order Qty:					

Packaging Volume & Weight Data	W (mm)	H (mm)	D (mm)	Number of Units	Gross Weight (kg)	Nett Weight (kg)	Vol (cbm)	20' qty	40' GP qty	40' HQ qty
Individual Gift Box	220	302	300							
Outer Export Carton:	615	320	895				0,176	1317	2634	3134

Approval / Documentation
Remark:



Date: 11/Feb/19

A 2.1 channel audio system is shown against a white background. It consists of three black speakers and a remote control. The central speaker is the largest and features a red LED light ring around its tweeter and a silver-colored woofer. The two side speakers are smaller and have a similar design with a tweeter and a woofer. A black remote control with various buttons is positioned to the right of the speakers.[illegible][illegible]

Product Name:		3.1CH Multimedia speaker				Model #		CZ202													
Product Photos						Product Specifications															
						SOUND															
						Sound Type			3.1Channel												
						Number or Speakers			30W* 1+15Wx3												
						Speaker Size 1			Subwoofer 5.25"												
						Speaker Size 2			Satellite 3"												
						Speaker Size 3			N/A												
						Speaker Size 4			N/A												
						Dolby			No												
						FEATURES															
						Chipset			jieli												
BLE Language/OSD			English																		
BLE Version																					
Sleep Timers																					
Auto Shut off																					
Supports																					
USB/TF Card max card Size																					
Supported USB/TF Card Format			AUX/USB/SD/FM/Remote control/Bluetooth/Coaxial																		
FM Tunner Frequency																					
Upgarde SW via USB			YES																		
LCD Display			N/A																		
Colour Of LCD Display			N/A																		
Product Specifications						TERMINALS															
Cosmetic						input/output terminal			RCA IN*1 COAXIAL IN*1												
Color of Front Cabinet			Silver of control knobs			POWER															
Color of Frame			Black color USB/SD control panel																		
Color of Cabinet			Red wooden color																		
Color of Base Stand			black color																		
LED Indicator color/LED						Working Power consumption			110-240V~50-60Hz												
Number of Key			9keys																		
VESA Wall Mounting Hole			N/A																		
Power cable Length			1.2M, VDE			Stand by Power consumption															
Extenal PSU Rating						AC Power Supply															
Plug Type Standard			Euro plug type			Basic Equipped Accessories															
Material For Protection						Remote Control			RC01												
Front Cover			plastic			Batteries for RC			N/A												
Frame			MDF			User Manual			Black and white, 105g English												
Back Cover			MDF			Other															
Stand/Wall Mount			N/A			(Optional, Need to add cost)															
Carton			Brown Corrugated Paper																		
Package			PE bag																		
Package			PE bag																		
Certification			IEC60065																		
Business Terms						Product Info															
FOB Price:			SHENZHEN			EAN Bar code:															
Port of Export:																					
Country of Origin:						W (mm)		H (mm)		D (mm)											
Lead Time:						330		200		270											
Payment Method:						310		110		130											
Minimum Order Qty:			1K			Size of Unit (Center):															
Packaging Volume & Weight Data																					
		W (mm)		H (mm)		D (mm)		Number of Units		Gross Weight (kg)		Nett Weight (kg)		Vol (cbm)		20' qty		40' GP qty		40' HQ qty	
Individual Gift Box		358		358		378						7.2KGS				540		1100		1282	
Outer Export Carton:		393		375		375															
Approval / Documentation																					
Remark:																					
1. The Quotation is valid in 30 working days;																					



Date: 19/Nov/20

[illegible]

Remark:

1. The Quotation is valid in 7 working days;
2. The above specification are subject to change without prior notice.



PRODUCT SPEC

Product Name:		LP-077A		Model #		CZ401		Date:		13/Jan/21	
Product Photos		Product Specifications									
		SOUND									
		Sound Type		Stereo							
		Speaker Output Power		N/A							
		Speaker Size 1		W x H x D mm							
		Speaker Size 2		N/A							
		Speaker Size 3		N/A							
		Speaker Size 4		N/A							
		Dolby		No							
		FEATURES									
		Chipset		MTK mainboard							
BLE Language/OSD		English									
BLE Version		NA									
Sleep Timers		NO									
Auto Shut off		NO									
Supports		USB, RCA, HDMI									
USB		16GB									
Supported USB Card Format		mp3/wav									
Upgarde SW via USB		NO									
LED Display		Yes									
Colour Of LED Display		Orange									
TERMINALS											
input/output terminal		AV, HDMI									
POWER											
Working Power consumption 工作功率		≤ 15W									
Stand by Power consumption 待机功率		≤ 1W									
AC Power Supply		AC100-240V/50/60Hz									
Basic Equipped Accessories											
Remote Control		yes									
Batteries for RC		no									
User Manual		Black and white, A5, 24P, English									
Other		AV cable									
(Optional, Need to add cost)											
Material For Protection											
Front Cover		Plastic+Net									
Frame		N/A									
Back Cover		Plastic									
Stand/Wall Mount		Plastic									
Carton		Brown Corrugated Paper									

PRODUCT SPEC									
								Date:	12/Mar/19

Product Name:	LP-808	Model #	CZ500
----------------------	--------	----------------	-------

Product Photos			Product Specifications		
			SOUND		
			Sound Type		Stereo
			Speaker Output Power		15W*2 RMS
			Mainframe Size 1		15L x 22.5H x19.7 W cm
			Speaker Size 1		13L x 22.9H x15.1 W cm
			Speaker Size 2		N/A
			Speaker Size 4		N/A
			Dolby		No
			FEATURES		
		Chipset		MTK mainboard	
		BLE Language/OSD		English	
		BLE Version		NA	
		Sleep Timers		NO	
		Auto Shut off		NO	
		Supports		CD/FM/AUX/USB/Bluetooth	
		USB		16GB	
		Supported USB Card Format		mp3	
		Upgarde SW via USB		NO	
		LED Display		Yes	
		Colour Of LED Display		Orange	

Product Specifications				TERMINALS	
Cosmetic				input/output terminal	AV input
Color of Front Cabinet	Glossy Black				
Color of Frame	N/A			POWER	
Color of Back Cabinet	Glossy Black			Working Power consumption 工作工号	≤30W
Color of Base Stand	Glossy Black			Stand by Power consumption待机功号	≤1W
LED Indicator color/LED Display	Orange indicator			AC Power Supply	AC100-240V,50/60Hz
Number of Key	9keys			Basic Equipped Accessories	
VESA Wall Mounting Hole				Remote Control	yes
Power cable Length	2m, 2pin			Batteries for RC	no
Extenal PSU Rating				User Manual	Black and white, A5, 24P, English
Plug Type Standard	Euro Plug Type			Other	AV cable
Material For Protection				(Optional, Need to add cost)	
Front Cover	Plastic+Net				
Frame	N/A				
Back Cover	Plastic				
Stand/Wall Mount	Plastic				
Carton	Brown Corrugated Paper				
Package	PE bag				
Package	PE bag				
Certification					

Business Terms				Product Info					
FOB Price:				EAN Bar code:					
Port of Export:	Shenzhen				L (mm)	H (mm)	W (mm)		
Country of Origin:	china			Size of Unit (without Base):					
Lead Time:	40DAYS			Size of Unit (with Base):					
Payment Method:	30% Advance Deposit, Balance before loading after inspection by T/T								
Minimum Order Qty:	2K								

Packaging Volume & Weight Data									
	L (mm)	H (mm)	W (mm)	Number of Units	Gross Weight (kg)	Nett Weight (kg)	Vol (cbm)	20' qty	40' GP qty
Individual Gift Box									
Outer Export Carton:									1800

Approval / Documentation
Remark: 1. The Quotation is valid in 7 working days; 2. The above specification are subject to change without prior notice. 3. The price may change from time to time we are not liable for any misrepresentation if we post the wrong prices on the sheet




CZ Electronics

Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg, PO Box 11387, Rynfield, 1514, Tel: +27 11 914-5240 Fax: +27 11 914-4536

PRODUCT SPEC									
Product Name:		LP-808		Model #		CZ601			
Product Photos		Product Specifications							
		SOUND							
		Sound Type		Stereo					
		Speaker Output Power		2W*2 RMS					
		Mainframe Size 1		N/A					
		Speaker Size 1		N/A					
		Speaker Size 2		N/A					
		Speaker Size 4		N/A					
		Dolby		No					
		FEATURES							
		Chipset		MTK mainboard					
		BLE Language/OSD		English					
		BLE Version		NA					
		Sleep Timers		NO					
		Auto Shut off		NO					
		Supports		CD/FM/AUX/USB/Bluetooth					
		USB		16GB					
		Supported USB Card Format		mp3					
		Upgarde SW via USB		NO					
		LED Display		Yes					
		Colour Of LED Display		Orange					
		TERMINALS							
		Input/output terminal		AV input					
		POWER							
		Working Power consumption 工作功率		≤30W					
		Stand by Power consumption 待机功率		≤1W					
		AC Power Supply		AC100-240V,50/60Hz					
		Basic Equipped Accessories							
		Remote Control		yes					
		Batteries for RC		no					
		User Manual		Black and white, A5, 24P, English					
		Other		AV cable					
		(Optional, Need to add cost)							
		Material For Protection							
		Front Cover		Plastic+Net					
		Frame		N/A					
		Back Cover		Plastic					
		Stand/Wall Mount		Plastic					
		Carton		Brown Corrugated Paper					




PRODUCT SPEC



Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg. PO Box 11387, Rynfield, 1514. Tel: +27 11 914-5240 Fax: +27 11 914-4536

PRODUCT SPEC

Product Name:		CZ Openview PVR 32GB		Model #		CZOP32GB		Date:		11/Jun/21	
Product Photos		Product Specifications									
		SOUND									
		Sound Type								Dobly Digital Plus	
		Speaker Output Power								N/A	
		Mainframe Size 1								N/A	
		Speaker Size 1								N/A	
		Speaker Size 2								N/A	
		Speaker Size 4								N/A	
		Dolby								N/A	
		Chipset								Longsys Micro Chip and eMMC	
		Speed								24mb/s R,W	
		Read								24mb/s	
		Write								24mb/s	
		Hardcode Deice Name								OV-USB	
		File Type								FAT32	
Product Specifications											
Cosmetic											
Color of Front Cabinet		Metal Silver									
Color of Frame		Metal Silver									
Color of Back Cabinet		Metal Silver									
Color of Base Stand		Metal Silver									
LED Indicator color/LED Display		N/A									
Number of Key		N/A									
VESA Wall Mounting Hole		N/A									
Power cable Length		N/A								USB	
External PSU Rating		N/A									
Plug Type Standard		N/A									
Material For Protection										POWER	
Front Cover		Metal Silver								Working Power consumption 工作工号	
Frame		N/A								Stand by Power consumption待机功率	
Back Cover		N/A								AC Power Supply	
Stand/Wall Mount		NA								Basic Equipped Accessories	
Carton		Brown Corrugated Paper								Remote Control	
										Batteries for RC	
										Yes	
										N/A	



Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg. PO Box 11387, Rynfield, 1514. Tel: +27 11 914-5240 Fax: +27 11 914-4536

PRODUCT SPEC

[illegible]



Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg. PO Box 11387, Rynfield, 1514. Tel: +27 11 914-5240 Fax: +27 11 914-4536

PRODUCT SPEC

Product Name:		Homatics Box Q		Date:	11/Jun/21
Product Photos					
					
Product Specifications					
SOUND					
Sound Type		Dobly Digital Plus			
Speaker Output Power		N/A			
Mainframe Size 1		N/A			
Speaker Size 1		N/A			
Speaker Size 2		N/A			
Speaker Size 4		N/A			
Dolby		No			
Chipset					
RAM		Amlogic S905X3			
Flash		2Gig DDR3			
		eMMC 8GB			
Wi-Fi		802.11 b/g/n 2.4G + 5.0G 2T2R Wi-Fi			
Launcher		Standard			
DRM		Widevine, PlayReady			
Pre Installed		Play Store, YouTube, Play Movie, Play Music, NETFLIX, Prime Video, Disney +			
BLE Language/OSD		English			
BLE Version		4.2			
Sleep Timers		Yes			
Auto Shut off		Yes			
Supports		Android TV OS 9, Netflix, Prime Video			
USB		N/A			
Supported USB Card Format		N/A			
Upgrade SW via USB		NO, GOT A			
LED Display		1, Power Status			
Colour Of LED Display		White			
Skyway		Yes			
Display Out		4K			
TERMINALS					
Input/output terminal		HDMI, 1 x USB3.0, 1x USB2.0 TF Card Slot, RJ45, SPDIF			
POWER					
Working Power consumption 工作功率		≤50W			
Stand by Power consumption待机功率		≤5W			
AC Power Supply		AC100-240V,50/60Hz			
Basic Equipped Accessories					
Remote Control		Yes			
Batteries for RC		Yes			
Product Specifications					
Cosmetic					
Color of Front Cabinet		Matt Black			
Color of Frame		Matt Black			
Color of Back Cabinet		Matt Black			
Color of Base Stand		Matt Black			
LED Indicator color/LED Display		Blue			
Number of key		22 keys, BLE with Voice			
VESA Wall Mounting Hole		N/A			
Power cable Length		0.5m, 2pin			
External PSU Rating		12V1,0A			
Plug Type Standard		Euro Plug Type			
Material For Protection					
Front Cover		Plastic+Net			
Frame		N/A			
Back Cover		Plastic			
Stand/Wall Mount		NA			
Carton		Brown Corrugated Paper			



CZ Electronics

Unit 81, Van Dyk Secure Business Park, Cnr Brakpan & Van Dyk Roads, Boksburg Industrial East, Boksburg, PO Box 11387, Rynfield, 1514, Tel: +27 11 914-5240 Fax: +27 11 914-4536

PRODUCT SPEC

Product Name:		Telkom ONE		Model #		CZSEI601		Date:		11/Jun/21	
Product Photos				Product Specifications							
				SOUND							
				Sound Type		Dobly Digital Plus					
				Speaker Output Power		N/A					
				Mainframe Size 1		N/A					
				Speaker Size 1		N/A					
				Speaker Size 2		N/A					
				Speaker Size 4		N/A					
				Dolby		DTS					
				Chipset		Amlogic S905X3					
				RAM		2Gig DDR3					
				Flash		eMMC 8GB					
				Wi-Fi		802.11 b/g/n 2.4G + 5.0G 2T2R Wi-Fi					
				Launcher		Standard					
				DRM		Widevine, PlayReady					
				Pre Installed		Play Store, YouTube, Play Movie, Play Music, NETFLIX, Prime Video, Disney +					
				BLE Language/OSD		English					
				BLE Version		4.2					
Sleep Timers		Yes									
Auto Shut off		Yes									
Supports		Android TV OS 9, Netflix, Prime Video									
				USB							
				Supported USB Card Format							
				N/A							
				Upgarde SW via USB							
				NO, GOTV							
				LED Display							
				1, Power Status							
				Colour Of LED Display							
				White							
				Skyway							
				Yes							
				Display Out							
				4K							
				TERMINALS							
				input/output terminal							
				HDMI, 1 x USB3.0, 1x USB2.0 TF Card Slot, RJ45, SPDIF							
				POWER							
				Working Power consumption 工作功率							
				≤50W							
				Stand by Power consumption待机功率							
				≤5W							
				AC Power Supply							
				AC100-240V,50/60Hz							
				Basic Equipped Accessories							
				Remote Control		Yes				Yes	
				Batteries for RC		Yes				Yes	